

The background features several thick, flowing, abstract brown lines that curve and loop across the page, creating a sense of movement and organic form. The lines are set against a light beige or cream-colored background.

Atmosphere

MONICA
FASCINO ITALIANO



Atmosphere

Colori

Colours_Couleurs_Farben_Colores_Цвета

6-9 Shell · Amethyst

10-13 Shell · Oceano

14-19 Panna · Caffè

Informazioni tecniche

Technical data_Informations techniques

Technische daten_Informaciones técnicas_Ехническая информация

20-21 Minimali

Minimal_Minimal_Minimal_Minimal_фото плитки

22-23 Tabella pesi e inballi

Weight and packaging_Poids et emballage

Verpackung und Gewicht_Embalajes y pesos_вес и упаковка

Atmosphere

Seduzione educata.
Quintessenza di charme,
affidata ad una gamma di
cremosi pastelli make up e
ad un'eccentrica nota ametista.
Femminilità contenuta da
un morbido senso del rigore.


Refined seduction.
Quintessential charm,
created by a range of
creamy pastel make-up
colours and intriguing
tones of amethyst.
Femininity curbed by a
soft sense of restraint.

Formvollendete Verführung.
Quintessenz mit Charme,
in einer Reihe von cremigen
Pastelltönen
mit einer exzentrischen
Amethystnuance.
Weiblichkeit, die von einem
zarten Gefühl der Strenge
bezähmt wird.

Вежливое обольщение.
Квинтэссенция очарования,
возложена на гамму
макияжей кремовых пастелей и
эксцентричную ноту аметиста.
Женственность, содержащаяся в
мягком чувстве строгости.

Une séduction polie.
Une quintessence de charme,
qui s'en remet à une gamme
d'onctueux pastels make up et
à une touche excentrique
couleur améthyste.
Une féminité contenue par
un doux sens de la rigueur.

Seduci3n educada.
Quintaesencia del encanto,
entregada a una gama de
cremosos colores pastel para
el maquillaje y
a una excéntrica nota de color
amatista.
Feminidad contenida por
un ligero sentido del rigor.



Shell · Amethyst

256A1 Shell 20x56

256A4 Amethyst 20x56

256A1SA3 Sinfonia Amethyst 20x56

L356LA Bacchetta Lovely Amethyst 3x56

M33A4 Amethyst 33,3x33,3



Shell · Amethyst

256A1 Shell 20x56

256A1SA3 Sinfonia Amethyst 20x56

L356LA Bacchetta Lovely Amethyst 3x56



Shell · Oceano

256A3 Oceano 20x56

256A1 Shell 20x56

256A1DE Shell Eclipse 20x56

M33A3 Oceano 33,3x33,3



Shell · Oceano

256A3 Oceano 20x56

256A1 Shell 20x56


256A1DE Shell Eclipse 20x56

M33A3 Oceano 33,3x33,3



Panna · Caffé

256A2 Panna 20x56
256A2SC3 Caffé 20x56
1234567 Sinfonia Caffé 20x56



Panna · Caffé

256A2 Panna 20x56

1234567 Panna Eclipse 20x56

L356LC Bacchetta Lovely Caffé 3x56



Panna · Caffé

1234567 Amethyst 20x56
1234567 Shell 20x56
1234567 Sinfonie Shell 20x56
ABCDE Bacchetta Lovely Caffé



18




19

Formati e colori

sizes and colours · formate und farben
formats et couleurs · formatos y colores
Форматы и цвета

BB

rivestimento · wall tiles · revêtement de mur · Wandfliesen · revestimiento · Настенная плитка



256A1 F 50,00
Shell 20x56




256A4 F 53,00
Amethyst 20x56



256A3 F 53,00
Oceano 20x56



256A6 F 53,00
Caffè 20x56




256A2 F 50,00
Panna 20x56

decori · decorations · décors · Dekore · decoros · декоры



256A1DE F 45,00
Eclipse Shell 20x56



256A1SA3 F 120,00
Sinfonie Amethyst 20x56



25A1SO3 F 120,00
Sinfonie Oceano 20x56




256A3SC3 F 120,00
Sinfonie Caffè 20x56



256A2DE F 45,00
Eclipse Panna 20x56




L356LS F 21,00
Bacchetta Lovely Shell 3x56



L356LA F 21,00
Bacchetta Lovely Amethyst 3x56



L356LO F 21,00
Bacchetta Lovely Oceano 3x56



L356LC F 21,00
Bacchetta Lovely Caffè 3x56



L356LP F 21,00
Bacchetta Lovely Panna 3x56

Pavimento

floor tiles
revêtement de sol
Bodenbelag
Напольная плитка

G



M33A6 F 44,00
Café 33,3x33,3






M33A3 F 44,00
Oceano 33,3x33,3











M33A4 F 44,00
Amethyst 33,3x33,3

Tabelle tecniche · physical properties · caractéristiques techniques · technische eigenschaften
 características técnicas · ехнические характеристики

BB **bicottura in pasta bianca** · double firing white body · pâte blanche en biccuisson
 weißscherbig in zweibrand · bicocción en pasta blanca · Двойной обжиг в белой массе

CARATTERISTICHE TECNICHE (EN 14411/L BIII GL) PHYSICAL PROPERTIES (EN 14411/L BIII GL) CARACTERISTIQUE TECHNIQUE (EN 14411/L BIII GL) TECHNISCHE DATEN (EN 14411/L BIII GL) CARACTERISTICAS TECNICAS (EN 14411/L BIII GL) ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ (EN 14411/L BIII GL)	NORMA NORMS NORME NORM NORMA НОРМАТИВНЫЕ ТРЕБОВАНИЯ	VALORE VALUES VALUER WERTE VALOR ЗНАЧЕНИЕ	VALORE ATMOSPHERE CROMIE VALUES VALUER CROMIE CROMIE WERTE VALOR CROMIE ЗНАЧЕНИЕ CROMIE
Resistenza all'attacco chimico Chemical resistance Résistance à l'attaque chimique Beständigkeit gegen Chemikalien Resistencia química Устойчивость к химическому воздействию	 UNI EN ISO 10545-13	Nessuna alterazione No change Aucune altération Keine Änderung Ninguna alteración Отсутствие изменений	GLA*
Resistenza alle macchie Stains resistance Résistance aux taches Fleckenbeständigkeit Resistencia a las manchas Устойчивость к пятнам	 UNI EN ISO 10545-14	≥ 3 (range 0-5)	5
Resistenza al cavillo Crazing resistance Résistance aux craquelures Haarriß-Beständigkeit Resistencia al cuarteo Устойчивость к образованию трещин	 UNI EN ISO 10545-11	Richiesta Demand Demande Nachfrage Demanda Запрос	Conforme comply with conforme gemäß conforme соответствует

G **gres Porcellanato** · Porcelain stoneware · Gres cérame · Feisteinzeug · Gres porcelánico · Керамогранит

Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение	 UNI EN ISO 10545-3	≤ 0,5%	≤ 0,5%
Resistenza alla flessione Bending strength Résistance à la flexion Biegezugfestigkeit Resistencia alla flexión Прочность на изгиб	 UNI EN ISO 10545-4	≥ 35 N/mm ²	≥ 35 N/mm ²
Resistenza all'abrasione superficiale PEI Resistance to surface abrasion PEI Résistance à l'abrasion des surfaces PEI Oberflächenabriebfestigkeit PEI Resistencia a la abrasión superficial PEI Прочность поверхности по Моосу	 UNI EN ISO 10545-7	≥ 3	4
Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit Resistencia al hielo Морозостойкость	 UNI EN ISO 10545-12	Nessuna alterazione No change Aucune altération Keine Änderung Ninguna alteración Отсутствие изменений	Conforme comply with conforme gemäß conforme соответствует
Resistenza ai prodotti chimici Chemical resistance Résistance aux produits chimiques Beständigkeit gegen Chemikalien Resistencia química Устойчивость к химическому воздействию	 UNI EN ISO 10545-13	Nessuna alterazione No change Aucune altération Keine Änderung Ninguna alteración Отсутствие изменений	GLA*
Resistenza alle macchie Stain resistance Résistance aux taches Fleckbeständigkeit Resistencia a las manchas Устойчивость к пятнообразованию	 UNI EN ISO 10545-14	≥ 3	5
Resistenza allo scivolamento Slip resistance Résistance au glissement Bestimmung der rutschhemmenden Eigenschaft Resistencia al deslizamiento Устойчивость к скольжению	 DIN 51130	Range R9-R12	R9
Durezza (Mohs) Hardness (Mohs) Dureté (Mohs) Oberflächenhärte (Mohs) Dureza (grad) Прочность поверхности по Моосу	 UNI EN 101	≥ 6	9

*GLA: Nessun effetto visibile - No visible effect - Aucun effet visible - Keine sichtbaren Auswirkungen - Ningún efecto visible - Никакого заметного эффекта

imballi e pesi · Packing and weight · emballage et poids
 verpackung und gewicht · embalajes y pesos · упаковки и вес

Formato	Pcs/box	Mq/box	Kg/box	Box/pal	Mq/pal	Kg/pal
20x56	8	0,9	13,6	48	43,2	652,8
Sinfonie	12	0,96	13,08	40	38,4	543,2
Eclipse	6	5,5	6			
Bacchetta Lovely	12		0,72			
33,3x33,3	13	5,45	26,8	44	63,8	1179,2



tel. +39 0522 764 580 - fax +39 0522 764 545
www.ceramicemonica.com - info@ceramicemonica.com

brand of

Majorca S.p.a.
42019 Scandiano (RE) Italy via Bosco, 26
tel. +39 0522 764 511 - fax +39 0522 764 545
www.majorca.it - majorca@majorca.it